



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

SHANNON

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:**028454**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1981/01/19TOWNSHIPRANGESECTIONELEVATION:

880FT

DRILL DEPTH: 1,200FT

26N

3W

19

UTM XUTM YDEPTH TO BED: 310FT

648,668.30

4,085,575.66

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028452**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1981/01/TOWNSHIPRANGESECTIONELEVATION:

920FT

DRILL DEPTH: 2,102FT

26N

3W

19

UTM XUTM YDEPTH TO BED: 330FT

649,468.31

4,086,487.65

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO UNITS POSITIVELY IDENTIFIED - VERY POOR SAMPLESS.W.L. (AFTER CASING):**LOG ID:****028400**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 1,000FT

26N

3W

21

UTM XUTM YDEPTH TO BED: 190FT

652,595.30

4,085,818.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: MINERAL TESTS.W.L. (AFTER CASING):**LOG ID:****027765**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

997FT

DRILL DEPTH: 223FT

26N

4W

1

UTM XUTM YDEPTH TO BED: 90FT

647,649.34

4,090,758.69

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO SAMPLES RUN - NO UNITS IDENTIFIEDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028398**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1979/10/17TOWNSHIPRANGESECTIONELEVATION:

985FT

DRILL DEPTH: 1,200FT

26N

4W

13

DEPTH TO BED: 290FTUTM XUTM Y

647,567.32

4,088,248.68

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO FORMATIONS IDENTIFIEDS.W.L. (AFTER CASING):**LOG ID:****001667**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1912/11/11TOWNSHIPRANGESECTIONELEVATION:

945FT

DRILL DEPTH: 232FT

26N

4W

13

DEPTH TO BED: 170FTUTM XUTM Y

647,867.32

4,087,946.68

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028352**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

990FT

DRILL DEPTH: 1,200FT

26N

4W

14

DEPTH TO BED: 290FTUTM XUTM Y

645,569.32

4,088,203.71

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: MINERAL TESTS.W.L. (AFTER CASING):**LOG ID:****001665**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1912/00/00TOWNSHIPRANGESECTIONELEVATION:

922FT

DRILL DEPTH: 267FT

26N

4W

29

DEPTH TO BED: 95FTUTM XUTM Y

641,153.30

4,084,082.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028458

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1981/02/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	980FT
<u>DRILL DEPTH:</u>	1,200FT	26N	4W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	260FT				643,107.34	4,090,122.75
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	<u>REMARKS:</u>					
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
028041

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	950FT
<u>DRILL DEPTH:</u>	1,000FT	26N	4W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	290FT				640,890.35	4,090,512.78
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	<u>REMARKS:</u> ONLY PART OF THE HOLE - 10-FT SAMPLES - "P. DOWLER"					
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
001664

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1912/10/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	948FT
<u>DRILL DEPTH:</u>	240FT	26N	4W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	140FT				642,814.33	4,089,055.75
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	<u>REMARKS:</u> MINERAL EXPLORATION ?					
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
002395

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1931/01/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	75FT	26N	5W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	2FT				635,816.35	4,089,653.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	<u>REMARKS:</u> 5 logs on 5 wells - all under #2395 - logmain info shows info on "A" log -					
<u>S.W.L. (AFTER CASING):</u>	all logs are available to "view"					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027430**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

850FT

DRILL DEPTH:

330FT

26N

5W

20

DEPTH TO BED:

60FT

UTM XUTM Y

631,740.31

4,085,778.86

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 8 MI S OF BIRCHTREE ON HWY 99S.W.L. (AFTER CASING):**LOG ID:****016297**WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1957/07/

TOWNSHIPRANGESECTIONELEVATION:

1,047FT

DRILL DEPTH:

1,428FT

26N

6W

10

DEPTH TO BED:

60FT

UTM XUTM Y

624,578.30

4,088,734.92

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: MELTON MINES.W.L. (AFTER CASING):

139

LOG ID:**003128**WELL TYPE

Private Well

DRILL DATE:

1934/11/

TOWNSHIPRANGESECTIONELEVATION:

1,075FT

DRILL DEPTH:

470FT

26N

6W

19

DEPTH TO BED:

35FT

UTM XUTM Y

620,139.27

4,086,065.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 10 MI S OF MT VIEW WELLS.W.L. (AFTER CASING):**LOG ID:****025444**WELL TYPE

Private Well

DRILL DATE:

1967/09/01

TOWNSHIPRANGESECTIONELEVATION:

1,038FT

DRILL DEPTH:

315FT

26N

6W

3

DEPTH TO BED:

185FT

UTM XUTM Y

625,571.33

4,091,269.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2.5 MI SW OF MONTIERS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021908**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

914FT

DRILL DEPTH:

1,976FT

27N

3W

14

DEPTH TO BED:

50FT

UTM XUTM Y

656,742.36

4,096,493.59

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

OPERATION BASEMENT SH-39

S.W.L. (AFTER CASING):**LOG ID:****022097**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1963/12/07

TOWNSHIPRANGESECTIONELEVATION:

921FT

DRILL DEPTH:

1,917FT

27N

3W

17

DEPTH TO BED:

115FT

UTM XUTM Y

651,266.37

4,097,346.66

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

OPERATION BASEMENT SH-40

S.W.L. (AFTER CASING):**LOG ID:****027638**WELL TYPE

Private Well

DRILL DATE:

1971/01/05

TOWNSHIPRANGESECTIONELEVATION:

951FT

DRILL DEPTH:

280FT

27N

3W

18

DEPTH TO BED:

150FT

UTM XUTM Y

649,433.37

4,097,264.69

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028326**WELL TYPE

Community Public Well

DRILL DATE:

1980/01/08

TOWNSHIPRANGESECTIONELEVATION:

919FT

DRILL DEPTH:

1,150FT

27N

3W

18

DEPTH TO BED:

125FT

UTM XUTM Y

648,904.37

4,097,051.69

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021804**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1963/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	984FT
<u>DRILL DEPTH:</u>	1,110FT	27N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	180FT				649,033.37	4,097,654.69
<u>S.W.L. (BEFORE CASING):</u>	260	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	332	FT				

REMARKS:**LOG ID:****003758**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1938/09/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	998FT
<u>DRILL DEPTH:</u>	696FT	27N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	225FT				649,333.37	4,098,076.69
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	334					

REMARKS: TWO LOGS - OLD WELL (1936) DEEPENED 260-696' (1938)**LOG ID:****011484**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1950/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	942FT
<u>DRILL DEPTH:</u>	871FT	27N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	170FT				649,233.37	4,097,264.69
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	270					

REMARKS:**LOG ID:****021640**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	891FT
<u>DRILL DEPTH:</u>	375FT	27N	3W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	120FT				652,257.36	4,095,519.64
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	200					

REMARKS: 2 MI E OF WINONA ON HWY 60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025311

WELL TYPE
Private Well

DRILL DATE: 1967// TOWNSHIP 27N RANGE 3W SECTION 27 ELEVATION: 881FT
DRILL DEPTH: 450FT UTM X 653,875.35 UTM Y 4,093,491.62
DEPTH TO BED: 95FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO SAMPLES 280-450'
S.W.L. (AFTER CASING):

LOG ID:
028384

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1980/06/30 TOWNSHIP 27N RANGE 3W SECTION 32 ELEVATION: 1,030FT
DRILL DEPTH: 1,200FT UTM X 651,022.35 UTM Y 4,093,112.65
DEPTH TO BED: 415FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 10-FT SAMPLES
S.W.L. (AFTER CASING):

LOG ID:
028307

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 27N RANGE 3W SECTION 33 ELEVATION: 1,006FT
DRILL DEPTH: 1,665FT UTM X 652,239.34 UTM Y 4,092,085.63
DEPTH TO BED: 1,000FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
022274

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1964/03/ TOWNSHIP 27N RANGE 3W SECTION 6 ELEVATION: 1,100FT
DRILL DEPTH: 510FT UTM X 649,161.37 UTM Y 4,100,144.70
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: LEWIS LAKE PICNIC AREA - ALL RESIDUUM
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026612

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,035FT
27N 3W 7
DRILL DEPTH: 280FT UTM X UTM Y
DEPTH TO BED: 160FT 649,749.37 4,098,539.68
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ON HWY 19 & H, WINONA
S.W.L. (AFTER CASING):

LOG ID:
026752

WELL TYPE
Private Well

DRILL DATE: 1969/02/ TOWNSHIP RANGE SECTION ELEVATION: 1,052FT
27N 3W 7
DRILL DEPTH: 280FT UTM X UTM Y
DEPTH TO BED: 160FT 649,749.37 4,098,769.69
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI N OF WINONA
S.W.L. (AFTER CASING): 200

LOG ID:
027401

WELL TYPE
Private Well

DRILL DATE: 1970/11/ TOWNSHIP RANGE SECTION ELEVATION: 1,115FT
27N 3W 7
DRILL DEPTH: 280FT UTM X UTM Y
DEPTH TO BED: 175FT 649,249.37 4,099,114.69
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SUBDIVISION WELL @ WINONA
S.W.L. (AFTER CASING):

LOG ID:
027238

WELL TYPE
Private Well

DRILL DATE: 1970/07/29 TOWNSHIP RANGE SECTION ELEVATION: 963FT
27N 3W 7
DRILL DEPTH: 260FT UTM X UTM Y
DEPTH TO BED: 185FT 648,749.37 4,098,425.70
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO SAMPLES RUN, JUST N OF WINONA
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027555**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,002FT

DRILL DEPTH:

230FT

27N

3W

8

UTM XUTM YDEPTH TO BED:

60FT

651,471.37

4,098,342.66

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****021946**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,056FT

DRILL DEPTH:

1,478FT

27N

3W

8

UTM XUTM YDEPTH TO BED:

155FT

651,071.37

4,098,754.67

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****021974**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

918FT

DRILL DEPTH:

1,563FT

27N

3W

8

UTM XUTM YDEPTH TO BED:

45FT

651,871.37

4,098,136.66

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****021915**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,030FT

DRILL DEPTH:

2,086FT

27N

4W

1

UTM XUTM YDEPTH TO BED:

200FT

647,628.37

4,100,338.71

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

HOLE #1-1; OPERATION BASEMENT SH-36

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003368**WELL TYPE

Private Well

DRILL DATE: 1935/06/06TOWNSHIPRANGESECTIONELEVATION:

1,066FT

DRILL DEPTH: 670FT

27N

4W

11

DEPTH TO BED: 80FTUTM XUTM Y

645,398.37

4,099,506.74

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 280**LOG ID:****012762**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1954/05/TOWNSHIPRANGESECTIONELEVATION:

1,031FT

DRILL DEPTH: 485FT

27N

4W

13

DEPTH TO BED: 210FTUTM XUTM Y

647,221.38

4,096,495.71

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI W OF WINONA ON HWY 60; BIT STUCK IN BOTTOM OF HOLES.W.L. (AFTER CASING): 380**LOG ID:****001616**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

920FT

DRILL DEPTH: 710FT

27N

4W

13

DEPTH TO BED:UTM XUTM Y

648,321.37

4,096,598.70

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: DRILLER'S LOG ONLYS.W.L. (AFTER CASING): 426**LOG ID:****011442**WELL TYPE

Private Well

DRILL DATE: 1950/08/TOWNSHIPRANGESECTIONELEVATION:

907FT

DRILL DEPTH: 376FT

27N

4W

13

DEPTH TO BED: 160FTUTM XUTM Y

648,221.37

4,097,527.70

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR WINONAS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025323

WELL TYPE
Private Well

DRILL DATE: 1967/12/04 TOWNSHIP 27N RANGE 4W SECTION 17 ELEVATION: 1,062FT
DRILL DEPTH: 500FT UTM X 641,195.39 UTM Y 4,096,851.79
DEPTH TO BED: 130FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: POOR SAMPLES
S.W.L. (AFTER CASING): 380

LOG ID:
025333

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 27N RANGE 4W SECTION 17 ELEVATION: 1,060FT
DRILL DEPTH: 365FT UTM X 640,996.39 UTM Y 4,096,531.80
DEPTH TO BED: 280FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
001673

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 27N RANGE 4W SECTION 17 ELEVATION: 1,087FT
DRILL DEPTH: 371FT UTM X 641,234.38 UTM Y 4,097,097.79
DEPTH TO BED: 175FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: MANY SKIPPED INTERVALS
S.W.L. (AFTER CASING):

LOG ID:
001673

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1913/01/29 TOWNSHIP 27N RANGE 4W SECTION 17 ELEVATION: 1,087FT
DRILL DEPTH: 371FT UTM X 641,234.38 UTM Y 4,097,097.79
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012534**WELL TYPE

Private Well

DRILL DATE: 1953/01/ TOWNSHIP 27N RANGE 4W SECTION 17 ELEVATION: 1,046FT
DRILL DEPTH: 450FT UTM X UTM Y
DEPTH TO BED: 310FT 641,171.39 4,096,578.80
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: UPPER 300' RESIDUAL ROUBIDOUX; NEAR BARTLETT
S.W.L. (AFTER CASING): 200

LOG ID:**023809**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 27N RANGE 4W SECTION 22 ELEVATION: 1,105FT
DRILL DEPTH: 325FT UTM X UTM Y
DEPTH TO BED: 170FT 644,960.38 4,096,062.74
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: MOST SAMPLES MISSING, 4 SAMPLES DESCRIBED
S.W.L. (AFTER CASING):

LOG ID:**013877**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1955/08/05 TOWNSHIP 27N RANGE 4W SECTION 22 ELEVATION: 1,090FT
DRILL DEPTH: 415FT UTM X UTM Y
DEPTH TO BED: 185FT 643,760.38 4,096,270.76
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: DRIVE-IN THEATER 2 MI W OF WINONA
S.W.L. (AFTER CASING): 60

LOG ID:**028054**WELL TYPE

Community Public Well

DRILL DATE: TOWNSHIP 27N RANGE 4W SECTION 24 ELEVATION: 1,045FT
DRILL DEPTH: 1,015FT UTM X UTM Y
DEPTH TO BED: 100FT 646,994.38 4,096,295.72
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: POOR SAMPLES - MGS OBSERVATION WELL (1980)
S.W.L. (AFTER CASING): 388



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020426

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,028FT
27N 4W 25
DRILL DEPTH: 375FT
DEPTH TO BED: 150FT
UTM X UTM Y
647,773.36 4,093,274.70
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NEAR WINONA
S.W.L. (AFTER CASING):

LOG ID:
025482

WELL TYPE
Private Well

DRILL DATE: 1968/02/24 TOWNSHIP RANGE SECTION ELEVATION: 958FT
27N 4W 27
DRILL DEPTH: 200FT
DEPTH TO BED: 105FT
UTM X UTM Y
643,742.37 4,093,612.75
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
001668

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 994FT
27N 4W 36
DRILL DEPTH: 161FT
DEPTH TO BED: 55FT
UTM X UTM Y
647,055.35 4,091,759.70
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO FORMATIONS IDENTIFIED - DRILLER'S LOG ONLY
S.W.L. (AFTER CASING):

LOG ID:
027767

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 984FT
27N 4W 5
DRILL DEPTH: 250FT
DEPTH TO BED: 190FT
UTM X UTM Y
641,262.37 4,100,316.79
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NO SAMPLES LOGGED
S.W.L. (AFTER CASING): 190



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027529**WELL TYPE

Private Well

DRILL DATE: 1970/07/22TOWNSHIPRANGESECTIONELEVATION:

1,123FT

DRILL DEPTH: 375FT

27N

5W

14

DEPTH TO BED: 55FTUTM XUTM Y

636,908.39

4,096,386.85

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI E OF BIRCHTREE ON HWY 60, 0.5 MI N ON GRAVEL RDS.W.L. (AFTER CASING): 285**LOG ID:****027419**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,120FT

DRILL DEPTH: 255FT

27N

5W

15

DEPTH TO BED: 95FTUTM XUTM Y

634,148.39

4,097,374.89

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI N OF BIRCH TREE ON HWY FFS.W.L. (AFTER CASING): 210**LOG ID:****027003**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,030FT

DRILL DEPTH: 1,050FT

27N

5W

21

DEPTH TO BED: 125FTUTM XUTM Y

633,287.40

4,095,258.90

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: VERY POOR SAMPLESS.W.L. (AFTER CASING): 287**LOG ID:****003839**WELL TYPE

Community Public Well

DRILL DATE: 1936/08/23TOWNSHIPRANGESECTIONELEVATION:

988FT

DRILL DEPTH: 252FT

27N

5W

21

DEPTH TO BED:UTM XUTM Y

634,017.40

4,095,226.89

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: abandoned & plugged w/ cement - bedrock not penetrated, all residual
roubidouxS.W.L. (AFTER CASING): 150



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026906**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,045FT

DRILL DEPTH:

1,205FT

27N

5W

22

UTM XUTM YDEPTH TO BED:

200FT

634,476.39

4,094,894.88

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

YIELD - 140 GOM @ 578'

S.W.L. (AFTER CASING):

430

LOG ID:**007638**WELL TYPE

Community Public Well

DRILL DATE:

1941//

TOWNSHIPRANGESECTIONELEVATION:

999FT

DRILL DEPTH:

785FT

27N

5W

22

UTM XUTM YDEPTH TO BED:

200FT

634,817.39

4,095,313.88

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

actually the 2nd "well #1"

S.W.L. (AFTER CASING):

264

LOG ID:**005436**WELL TYPE

Private Well

DRILL DATE:

1939/07/

TOWNSHIPRANGESECTIONELEVATION:

1,110FT

DRILL DEPTH:

320FT

27N

5W

23

UTM XUTM YDEPTH TO BED:

180FT

636,027.40

4,095,908.87

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

0.5 MI E OF BIRCH TREE ON N SIDE HWY 60

S.W.L. (AFTER CASING):**LOG ID:****011957**WELL TYPE

Private Well

DRILL DATE:

1951/09/10

TOWNSHIPRANGESECTIONELEVATION:

1,087FT

DRILL DEPTH:

206FT

27N

5W

23

UTM XUTM YDEPTH TO BED:

95FT

637,227.39

4,095,702.85

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:formerly in name of F.B Mathias Well #3 - 2 MI E OF BIRCHTREE ON
HWY 60S.W.L. (AFTER CASING):

145



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013402**WELL TYPE

Private Well

DRILL DATE: 1954// TOWNSHIP 27N RANGE 5W SECTION 32 ELEVATION: 1,025FT
DRILL DEPTH: 260FT UTM X 632,317.37 UTM Y 4,092,792.89
DEPTH TO BED: 120FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 8 MI N OF BIRCHTREE
S.W.L. (AFTER CASING): 190

LOG ID:**026988**WELL TYPE

Private Well

DRILL DATE: 1969/09/30 TOWNSHIP 27N RANGE 5W SECTION 34 ELEVATION: 1,024FT
DRILL DEPTH: 250FT UTM X 635,017.37 UTM Y 4,092,076.86
DEPTH TO BED: 95FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 2 MI S OF BIRCH TREE ON HWY 99 @ HWY Y
S.W.L. (AFTER CASING):

LOG ID:**023916**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 27N RANGE 5W SECTION 8 ELEVATION: 1,088FT
DRILL DEPTH: 200FT UTM X 632,008.38 UTM Y 4,098,560.90
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**024491**WELL TYPE

Private Well

DRILL DATE: 1966/04/ TOWNSHIP 27N RANGE 6W SECTION 1 ELEVATION: 1,086FT
DRILL DEPTH: 270FT UTM X 628,555.35 UTM Y 4,100,822.91
DEPTH TO BED: 120FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "LOT 2 NE 1/4"
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020269**WELL TYPE

Private Well

DRILL DATE: 1961/08/20TOWNSHIP

27N

RANGE

6W

SECTION

15

ELEVATION:

1,105FT

DRILL DEPTH: 360FTDEPTH TO BED: 40FTUTM X

624,679.35

UTM Y

4,096,550.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****026824**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1970/10/28TOWNSHIP

27N

RANGE

6W

SECTION

19

ELEVATION:

1,154FT

DRILL DEPTH: 900FTDEPTH TO BED: 75FTUTM X

620,871.33

UTM Y

4,094,969.97

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Mountain View School - yield 75 gpm @ 500 ft -
most samples are 10-ft intervalsS.W.L. (AFTER CASING): 300**LOG ID:****024043**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1965/12/29TOWNSHIP

27N

RANGE

6W

SECTION

23

ELEVATION:

1,070FT

DRILL DEPTH: 420FTDEPTH TO BED: 125FTUTM X

627,501.36

UTM Y

4,094,726.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****022074**WELL TYPE

Private Well

DRILL DATE: 1963/05/10TOWNSHIP

27N

RANGE

6W

SECTION

23

ELEVATION:

1,106FT

DRILL DEPTH: 365FTDEPTH TO BED: 85FTUTM X

626,101.36

UTM Y

4,095,542.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 5 MI E, 0.5 MI N OF MTN. VIEWS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027901

WELL TYPE
Private Well

DRILL DATE: 1975/04/24 TOWNSHIP 27N RANGE 6W SECTION 26 ELEVATION: 1,072FT
DRILL DEPTH: 430FT UTM X 626,730.35 UTM Y 4,094,324.93
DEPTH TO BED: 260FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI S OF MONTIER POST OFFICE ??
S.W.L. (AFTER CASING): 300

LOG ID:
001674

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 27N RANGE 6W SECTION 27 ELEVATION: 1,120FT
DRILL DEPTH: 166FT UTM X 625,925.35 UTM Y 4,093,708.94
DEPTH TO BED: 75FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
001674

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1913/02/20 TOWNSHIP 27N RANGE 6W SECTION 27 ELEVATION: 1,120FT
DRILL DEPTH: 166FT UTM X 625,225.34 UTM Y 4,093,811.94
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
020398

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1961// TOWNSHIP 28N RANGE 1W SECTION 4 ELEVATION:
DRILL DEPTH: 1,173FT UTM X 672,795.37 UTM Y 4,111,517.70
DEPTH TO BED: 360FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SH-31; MAY BE SEC. 33, 29N-1W
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020189

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	580FT
<u>DRILL DEPTH:</u>	1,025FT	28N	1W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				672,095.36	4,110,291.69
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

LOG ID:
020412

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	560FT
<u>DRILL DEPTH:</u>	1,475FT	28N	1W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				668,571.36	4,109,512.68
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	OB SH-12			

LOG ID:
019649

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	540FT
<u>DRILL DEPTH:</u>	1,425FT	28N	1W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				668,263.36	4,107,994.67
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	OB SH-10			

LOG ID:
020118

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	850FT
<u>DRILL DEPTH:</u>	1,655FT	28N	1W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				669,828.36	4,108,430.67
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	SH-32 - POOR SAMPLES			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019669**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1961/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	510FT
<u>DRILL DEPTH:</u>	914FT	28N	1W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				671,849.35	4,108,143.67
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	SH-33			

LOG ID:**020241**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1961/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	600FT
<u>DRILL DEPTH:</u>	1,455FT	28N	2W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				667,812.36	4,106,873.66
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	OB SH-11			

LOG ID:**028318**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1979/12/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	591FT
<u>DRILL DEPTH:</u>	500FT	28N	2W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				662,947.37	4,109,741.68
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	Ozark National Scenic Riverways Well #341 - log cabin campsite			

LOG ID:**027282**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1973/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,040FT
<u>DRILL DEPTH:</u>	995FT	28N	3W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				653,931.38	4,107,553.68
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	SH-42 - NO MINERALIZATION			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023964**WELL TYPE

Private Well

DRILL DATE: 1965/12/21TOWNSHIPRANGESECTIONELEVATION:

922FT

DRILL DEPTH: 100FT

28N

3W

15

DEPTH TO BED: 35FTUTM XUTM Y

654,331.38

4,106,737.67

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI W OF HWY H, 8 MI NE OF WINONAS.W.L. (AFTER CASING): 40**LOG ID:****027584**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1973/05/29TOWNSHIPRANGESECTIONELEVATION:

1,050FT

DRILL DEPTH: 1,215FT

28N

3W

16

DEPTH TO BED: 145FTUTM XUTM Y

652,907.37

4,107,162.69

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SH-43; CUTTINGS 144-725', CORE 725-1215 TD - NO
MINERALIZATION FOUNDS.W.L. (AFTER CASING):**LOG ID:****027216**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1972/11/27TOWNSHIPRANGESECTIONELEVATION:

1,050FT

DRILL DEPTH: 700FT

28N

3W

16

DEPTH TO BED: 120FTUTM XUTM Y

652,907.37

4,107,162.69

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO MINERALIZATIONS.W.L. (AFTER CASING):**LOG ID:****027217**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1972/11/21TOWNSHIPRANGESECTIONELEVATION:

1,040FT

DRILL DEPTH: 740FT

28N

3W

16

DEPTH TO BED: 70FTUTM XUTM Y

652,507.37

4,106,754.69

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO MINERALIZATIONS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027233**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1972/12/18TOWNSHIPRANGESECTIONELEVATION:

1,080FT

DRILL DEPTH: 1,187FT

28N

3W

17

DEPTH TO BED: 180FTUTM XUTM Y

650,902.37

4,106,572.70

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO MINERALIZATION (SH-41)S.W.L. (AFTER CASING):**LOG ID:****022126**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1958//TOWNSHIPRANGESECTIONELEVATION:

840FT

DRILL DEPTH: 244FT

28N

3W

18

DEPTH TO BED:UTM XUTM Y

649,398.37

4,107,702.71

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD HOLE DEEPENED - SEE LOG #22127S.W.L. (AFTER CASING):**LOG ID:****022124**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1958//TOWNSHIPRANGESECTIONELEVATION:

845FT

DRILL DEPTH: 125FT

28N

3W

18

DEPTH TO BED: 30FTUTM XUTM Y

649,398.37

4,107,248.71

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #2 SUTTONS.W.L. (AFTER CASING):**LOG ID:****022127**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1958//TOWNSHIPRANGESECTIONELEVATION:

840FT

DRILL DEPTH: 244FT

28N

3W

18

DEPTH TO BED: 85FTUTM XUTM Y

649,398.37

4,107,702.71

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 SUTTON - OLD HOLE (#22126) 165-244' (#22127)S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022125

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1958//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	840FT
<u>DRILL DEPTH:</u>	90FT	28N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				649,498.37	4,106,907.71
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#3 SUTTON			

LOG ID:
008759

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	855FT
<u>DRILL DEPTH:</u>	100FT	28N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				649,198.37	4,107,020.71
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#1 OLD SUTTON MINE - COPPER PROSPECT			

LOG ID:
008760

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	875FT
<u>DRILL DEPTH:</u>	37FT	28N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				649,298.37	4,107,134.71
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#2 OLD SUTTON MINE			

LOG ID:
008761

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	878FT
<u>DRILL DEPTH:</u>	52FT	28N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				649,498.37	4,106,907.71
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#3 OLD SUTTON MINE			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008762**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	868FT
<u>DRILL DEPTH:</u>	38FT	28N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				649,298.37	4,107,134.71
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#4 OLD SUTTON MINE			

LOG ID:**008763**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	863FT
<u>DRILL DEPTH:</u>	62FT	28N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				649,398.37	4,107,020.71
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#5 OLD SUTTON MINE			

LOG ID:**008764**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	865FT
<u>DRILL DEPTH:</u>	58FT	28N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					649,398.37	4,107,020.71
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#6 OLD SUTTON MINE			

LOG ID:**008765**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	859FT
<u>DRILL DEPTH:</u>	62FT	28N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				649,398.37	4,107,020.71
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#7 OLD SUTTON MINE			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027362**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

863FT

DRILL DEPTH:

175FT

28N

3W

2

UTM XUTM YDEPTH TO BED:

100FT

656,020.38

4,110,018.68

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****022039**WELL TYPE

Private Well

DRILL DATE:

1963/05/08

TOWNSHIPRANGESECTIONELEVATION:

955FT

DRILL DEPTH:

190FT

28N

3W

27

UTM XUTM YDEPTH TO BED:

45FT

654,123.37

4,104,113.66

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

70

LOG ID:**015044**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,085FT

DRILL DEPTH:

28N

4W

14

UTM XUTM YDEPTH TO BED:

140FT

646,279.36

4,106,545.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OB SH-21 ; TD NOT GIVENS.W.L. (AFTER CASING):**LOG ID:****026940**WELL TYPE

Private Well

DRILL DATE:

1969/10/10

TOWNSHIPRANGESECTIONELEVATION:

772FT

DRILL DEPTH:

130FT

28N

4W

18

UTM XUTM YDEPTH TO BED:

15FT

640,070.35

4,106,215.79

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 2 MI W OF HWY ES.W.L. (AFTER CASING):

40



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023609**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

961FT

DRILL DEPTH:

420FT

28N

4W

2

UTM XUTM YDEPTH TO BED:

5FT

646,089.36

4,109,778.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:formerly in name of Charlett Conway - 2 MI S OF EMINENCE ON HWY
19S.W.L. (AFTER CASING):**LOG ID:****024216**WELL TYPE

Private Well

DRILL DATE:

1965//

TOWNSHIPRANGESECTIONELEVATION:

865FT

DRILL DEPTH:

90FT

28N

4W

2

UTM XUTM YDEPTH TO BED:

40FT

646,889.36

4,110,788.74

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of Spurgeon Construction Company

S.W.L. (AFTER CASING):

40

LOG ID:**020976**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

999FT

DRILL DEPTH:

1,706FT

28N

4W

25

UTM XUTM YDEPTH TO BED:

50FT

647,280.37

4,103,273.72

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

SH-24

S.W.L. (AFTER CASING):**LOG ID:****028216**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

960FT

DRILL DEPTH:

900FT

28N

4W

27

UTM XUTM YDEPTH TO BED:

40FT

644,052.36

4,104,115.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028205

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	860FT
<u>DRILL DEPTH:</u>	800FT	28N	4W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				644,652.36	4,104,218.75
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	10-FT SAMPLES			

LOG ID:
028204

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	850FT
<u>DRILL DEPTH:</u>	800FT	28N	4W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				644,352.36	4,104,218.75
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	10-FT SAMPLES			

LOG ID:
007366

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1941//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	858FT
<u>DRILL DEPTH:</u>	177FT	28N	4W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					643,952.36	4,104,218.76
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

LOG ID:
028084

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,005FT
<u>DRILL DEPTH:</u>	1,000FT	28N	4W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	235FT				643,534.36	4,103,772.76
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028203**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,010FT

DRILL DEPTH:

1,000FT

28N

4W

28

DEPTH TO BED:

140FT

UTM XUTM Y

643,634.36

4,103,874.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

10-FT SAMPLES

S.W.L. (AFTER CASING):**LOG ID:****028457**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1981/01/19

TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH:

930FT

28N

4W

29

DEPTH TO BED:

140FT

UTM XUTM Y

641,824.36

4,103,819.78

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

10-FT SAMPLES

S.W.L. (AFTER CASING):**LOG ID:****016316**WELL TYPE

Private Well

DRILL DATE:

1957//

TOWNSHIPRANGESECTIONELEVATION:

845FT

DRILL DEPTH:

60FT

28N

4W

30

DEPTH TO BED:

5FT

UTM XUTM Y

639,059.36

4,103,773.80

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

4

LOG ID:**018900**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,129FT

DRILL DEPTH:

385FT

28N

4W

36

DEPTH TO BED:

125FT

UTM XUTM Y

647,767.37

4,102,070.72

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

AMERICAN METAL CLIMAX

S.W.L. (AFTER CASING):

55



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021954**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1963/05/29TOWNSHIP RANGE SECTION

28N 4W 36

ELEVATION: 1,095FTDRILL DEPTH: 220FTDEPTH TO BED: 155FTUTM X UTM Y648,467.37 4,102,373.71
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "GASCONADE-EMINENCE"S.W.L. (AFTER CASING):**LOG ID:****028097**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP RANGE SECTION

28N 4W 4

ELEVATION: 690FTDRILL DEPTH: 505FTDEPTH TO BED: 20FTUTM X UTM Y642,759.35 4,110,210.76
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 10-FT SAMPLESS.W.L. (AFTER CASING):**LOG ID:****028158**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1978/08/30TOWNSHIP RANGE SECTION

28N 4W 4

ELEVATION: 800FTDRILL DEPTH: 660FTDEPTH TO BED: 20FTUTM X UTM Y642,659.35 4,110,312.76
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 1 SAMPLE EVERY 25'S.W.L. (AFTER CASING):**LOG ID:****028085**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP RANGE SECTION

28N 4W 4

ELEVATION: 720FTDRILL DEPTH: 600FTDEPTH TO BED: 20FTUTM X UTM Y642,659.35 4,110,312.76
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 10-FT SAMPLESS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028156**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

940FT

DRILL DEPTH:

860FT

28N

4W

5

DEPTH TO BED:

180FT

UTM XUTM Y

641,656.34

4,109,870.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

10-FT SAMPLES; NO SAMPLES LOGGED, FORMATION TOPS ONLY

S.W.L. (AFTER CASING):**LOG ID:****028154**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

700FT

DRILL DEPTH:

510FT

28N

4W

5

DEPTH TO BED:

25FT

UTM XUTM Y

642,056.34

4,110,282.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

10-FT SAMPLES; NO SAMPLES LOGGED, FORMATION TOPS ONLY

S.W.L. (AFTER CASING):**LOG ID:****028153**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

820FT

DRILL DEPTH:

760FT

28N

4W

5

DEPTH TO BED:

25FT

UTM XUTM Y

641,856.34

4,110,076.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

10-FT SAMPLES; NO SAMPLES LOGGED, FORMATION TOPS ONLY

S.W.L. (AFTER CASING):**LOG ID:****028157**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH:

885FT

28N

4W

5

DEPTH TO BED:

180FT

UTM XUTM Y

641,656.35

4,109,664.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO SAMPLES LOGGED, FORMATION TOPS ONLY

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021661**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1963/05/29TOWNSHIP

28N

RANGE

4W

SECTION

8

ELEVATION:

763FT

DRILL DEPTH: 515FTDEPTH TO BED: 15FTUTM X

642,064.35

UTM Y

4,108,458.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****021244**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP

28N

RANGE

4W

SECTION

8

ELEVATION:

774FT

DRILL DEPTH: 780FTDEPTH TO BED: 10FTUTM X

640,664.35

UTM Y

4,108,052.78

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****019650**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP

28N

RANGE

4W

SECTION

9

ELEVATION:

708FT

DRILL DEPTH: 1,530FTDEPTH TO BED: 20FTUTM X

642,669.35

UTM Y

4,107,891.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO SAMPLES LOGGED 1156-1530'S.W.L. (AFTER CASING):**LOG ID:****021240**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP

28N

RANGE

5W

SECTION

12

ELEVATION:

1,018FT

DRILL DEPTH: 1,010FTDEPTH TO BED: 75FTUTM X

638,873.34

UTM Y

4,108,636.79

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023418

WELL TYPE
Private Well

DRILL DATE: 1964/11/ TOWNSHIP 28N RANGE 6W SECTION 19 ELEVATION: 1,138FT
DRILL DEPTH: 330FT UTM X 619,634.28 UTM Y 4,104,723.95
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 220

LOG ID:
020845

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1962// TOWNSHIP 28N RANGE 6W SECTION 25 ELEVATION: 880FT
DRILL DEPTH: 325FT UTM X 628,332.33 UTM Y 4,103,051.90
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL (#20845) DEEPENED (#21337) (205-330')
S.W.L. (AFTER CASING): 150

LOG ID:
021337

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1962// TOWNSHIP 28N RANGE 6W SECTION 25 ELEVATION: 880FT
DRILL DEPTH: 330FT UTM X 628,332.33 UTM Y 4,103,051.90
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL (#20845) DEEPENED (#21337) (205-330')
S.W.L. (AFTER CASING): 150

LOG ID:
006054

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1940/03/06 TOWNSHIP 28N RANGE 6W SECTION 35 ELEVATION: 808FT
DRILL DEPTH: 89FT UTM X 627,428.34 UTM Y 4,101,927.91
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021595**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 1,670FT

29N

1W

7

DEPTH TO BED: 70FTUTM XUTM Y

669,319.40

4,117,778.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SH-20S.W.L. (AFTER CASING):**LOG ID:****021516**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 1,675FT

29N

2W

11

DEPTH TO BED: 115FTUTM XUTM Y

666,020.40

4,117,338.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SH-14S.W.L. (AFTER CASING):**LOG ID:****021514**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

710FT

DRILL DEPTH: 1,510FT

29N

2W

13

DEPTH TO BED: 10FTUTM XUTM Y

666,854.39

4,115,726.73

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SH-15S.W.L. (AFTER CASING):**LOG ID:****025627**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1968/05/02TOWNSHIPRANGESECTIONELEVATION:

597FT

DRILL DEPTH: 295FT

29N

2W

16

DEPTH TO BED: 35FTUTM XUTM Y

661,989.39

4,116,992.74

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: POWDER MILL CAMPSITE #302S.W.L. (AFTER CASING): 45



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017514**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1956/01/27TOWNSHIP

29N

RANGE

2W

SECTION

2

ELEVATION:

890FT

DRILL DEPTH: 685FTDEPTH TO BED: 170FTUTM X

665,007.41

UTM Y

4,120,595.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028079**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1977/07/26TOWNSHIP

29N

RANGE

2W

SECTION

21

ELEVATION:

600FT

DRILL DEPTH: 300FTDEPTH TO BED: 5FTUTM X

662,940.39

UTM Y

4,115,255.72

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OZARK SCENIC WATERWAYS - BLUE SPRINGS SITE #341S.W.L. (AFTER CASING): 47**LOG ID:****021591**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1963/02/11TOWNSHIP

29N

RANGE

2W

SECTION

23

ELEVATION:

957FT

DRILL DEPTH: 1,700FTDEPTH TO BED: 245FTUTM X

665,352.39

UTM Y

4,114,414.72

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SH-16S.W.L. (AFTER CASING):**LOG ID:****021392**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP

29N

RANGE

2W

SECTION

36

ELEVATION:

970FT

DRILL DEPTH: 1,910FTDEPTH TO BED: 90FTUTM X

667,296.37

UTM Y

4,111,527.70

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #36-1; OPERATION BASEMENT SH-19S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014168**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955/09/28TOWNSHIPRANGESECTIONELEVATION:

670FT

DRILL DEPTH: 460FT

29N

2W

4

DEPTH TO BED:UTM XUTM Y

662,931.40

4,118,939.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****014151**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955/09/08TOWNSHIPRANGESECTIONELEVATION:

590FT

DRILL DEPTH: 470FT

29N

2W

8

DEPTH TO BED: 40FTUTM XUTM Y

660,297.40

4,117,454.74

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: MO CONSERVATION COMMISSIONS.W.L. (AFTER CASING): 1**LOG ID:****007099**WELL TYPE

Private Well

DRILL DATE: 1941/08/01TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 355FT

29N

3W

13

DEPTH TO BED: 40FTUTM XUTM Y

657,522.39

4,116,098.72

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI BELOW RED ROCK ON S SIDE CURRENT RIVER, 1000'
FROM BLUFFS.W.L. (AFTER CASING): 138**LOG ID:****004185**WELL TYPE

Private Well

DRILL DATE: 1937/04/16TOWNSHIPRANGESECTIONELEVATION:

665FT

DRILL DEPTH: 160FT

29N

3W

14

DEPTH TO BED:UTM XUTM Y

656,504.39

4,115,933.72

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI W OF WHITEHALL SCHOOLS.W.L. (AFTER CASING): 65



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004195**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1937/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	650FT
<u>DRILL DEPTH:</u>	100FT	29N	3W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				655,904.39	4,116,339.72
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	40					

REMARKS:**LOG ID:****026262**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1969/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	624FT
<u>DRILL DEPTH:</u>	350FT	29N	3W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				653,036.38	4,117,221.73
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	91					

REMARKS: TWO RIVERS RANCH #307 - junction of CURRENT & JACKS FORK RIVERS

LOG ID:**027467**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	615FT
<u>DRILL DEPTH:</u>	250FT	29N	3W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				651,167.37	4,114,619.73
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: HODGES BARN - OZARK SCENIC RIVERWAYS

LOG ID:**026049**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	853FT
<u>DRILL DEPTH:</u>	305FT	29N	3W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				651,165.37	4,113,329.72
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023904**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

640FT

DRILL DEPTH:

1,315FT

29N

3W

30

UTM XUTM YDEPTH TO BED:

20FT

650,178.37

4,114,103.73

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

SAMPLES LOGGED AS #21235 (20-420') SH-44

S.W.L. (AFTER CASING):**LOG ID:****021235**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

676FT

DRILL DEPTH:

420FT

29N

3W

30

UTM XUTM YDEPTH TO BED:

20FT

649,478.36

4,113,329.73

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

SEE LOG #23904

S.W.L. (AFTER CASING):**LOG ID:****013725**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1955/04/

TOWNSHIPRANGESECTIONELEVATION:

585FT

DRILL DEPTH:

300FT

29N

3W

31

UTM XUTM YDEPTH TO BED:

115FT

649,184.36

4,112,047.73

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

resort

S.W.L. (AFTER CASING):

90

LOG ID:**027805**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1975/04/07

TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH:

400FT

29N

3W

6

UTM XUTM YDEPTH TO BED:

649,987.37

4,119,646.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

JERKTAIL CLAMP SITE

S.W.L. (AFTER CASING):

59



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014999**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

801FT

DRILL DEPTH:

660FT

29N

4W

10

DEPTH TO BED:

15FT

UTM XUTM Y

645,182.34

4,118,511.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LOST BIT @ 660'S.W.L. (AFTER CASING):**LOG ID:****026939**WELL TYPE

Private Well

DRILL DATE:

1969/06/

TOWNSHIPRANGESECTIONELEVATION:

1,042FT

DRILL DEPTH:

300FT

29N

4W

14

DEPTH TO BED:

165FT

UTM XUTM Y

645,882.35

4,116,814.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3.5 MI N OF EMINENCE ON HWY 19S.W.L. (AFTER CASING):**LOG ID:****003008**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1921//

TOWNSHIPRANGESECTIONELEVATION:

925FT

DRILL DEPTH:

578FT

29N

4W

14

DEPTH TO BED:

110FT

UTM XUTM Y

646,382.35

4,115,916.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI N OF EMINENCES.W.L. (AFTER CASING):**LOG ID:****021664**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

764FT

DRILL DEPTH:

580FT

29N

4W

16

DEPTH TO BED:

15FT

UTM XUTM Y

642,462.33

4,115,763.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021242**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

770FT

DRILL DEPTH:

1,544FT

29N

4W

20

DEPTH TO BED:

15FT

UTM XUTM Y

641,850.33

4,114,936.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO SAMPLES LOGGED 825-1544'S.W.L. (AFTER CASING):**LOG ID:****021662**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

760FT

DRILL DEPTH:

605FT

29N

4W

21

DEPTH TO BED:

10FT

UTM XUTM Y

643,444.34

4,115,162.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****003952**WELL TYPE

Private Well

DRILL DATE:

1936/00/00

TOWNSHIPRANGESECTIONELEVATION:

709FT

DRILL DEPTH:

72FT

29N

4W

26

DEPTH TO BED:

20FT

UTM XUTM Y

646,186.35

4,113,312.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: EMINENCES.W.L. (AFTER CASING):**LOG ID:****011956**WELL TYPE

Private Well

DRILL DATE:

1951//

TOWNSHIPRANGESECTIONELEVATION:

737FT

DRILL DEPTH:

140FT

29N

4W

26

DEPTH TO BED:

10FT

UTM XUTM Y

645,486.35

4,112,807.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: HWY 106 W OF EMINENCES.W.L. (AFTER CASING):

65



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027377**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1972/03/14TOWNSHIP

29N

RANGE

4W

SECTION

28

ELEVATION:

738FT

DRILL DEPTH: 800FTDEPTH TO BED: 55FTUTM X

642,944.34

UTM Y

4,113,237.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: E-LOGS AVAILABLE; NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****024799**WELL TYPE

Private Well

DRILL DATE: 1966/04/TOWNSHIP

29N

RANGE

4W

SECTION

29

ELEVATION:

675FT

DRILL DEPTH: 70FTDEPTH TO BED: 35FTUTM X

641,413.33

UTM Y

4,113,427.77

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 8**LOG ID:****015392**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP

29N

RANGE

4W

SECTION

3

ELEVATION:

847FT

DRILL DEPTH: 606FTDEPTH TO BED: 10FTUTM X

644,567.33

UTM Y

4,121,022.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CABLE TOOL SAMPLESS.W.L. (AFTER CASING):**LOG ID:****018092**WELL TYPE

Private Well

DRILL DATE: 1959/05/05TOWNSHIP

29N

RANGE

4W

SECTION

31

ELEVATION:

1,038FT

DRILL DEPTH: 403FTDEPTH TO BED: 50FTUTM X

640,447.34

UTM Y

4,111,658.77

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI FROM ALLEY PARK ON HILL ON HWY 106S.W.L. (AFTER CASING): 350

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025973

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 685FT
29N 4W 33
DRILL DEPTH: 225FT
DEPTH TO BED: 5FT UTM X UTM Y
643,501.34 4,112,064.76
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: WEST EMINENCE, NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
023821

WELL TYPE
Private Well

DRILL DATE: 1965/09/ TOWNSHIP RANGE SECTION ELEVATION: 818FT
29N 4W 34
DRILL DEPTH: 280FT
DEPTH TO BED: 10FT UTM X UTM Y
645,269.35 4,112,178.75
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Carl L. Meley
S.W.L. (AFTER CASING): 170

LOG ID:
016314

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1957// TOWNSHIP RANGE SECTION ELEVATION: 666FT
29N 4W 34
DRILL DEPTH: 50FT
DEPTH TO BED: 15FT UTM X UTM Y
644,069.35 4,112,386.75
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: MAINTAINANCE SHED @ WEST EMINENCE
S.W.L. (AFTER CASING): 10

LOG ID:
017592

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1958/10/ TOWNSHIP RANGE SECTION ELEVATION: 650FT
29N 4W 34
DRILL DEPTH: 185FT
DEPTH TO BED: 15FT UTM X UTM Y
643,969.35 4,112,282.75
ZONE 15
S.W.L. (BEFORE CASING): 10 FT REMARKS: @ WEST EMINENCE
S.W.L. (AFTER CASING): 16 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008417**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1943//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	828FT
<u>DRILL DEPTH:</u>	350FT	29N	4W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	225FT				645,269.35	4,112,386.75
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	180	<u>REMARKS:</u>	OLD WELL DEEPENED 225-350'			

LOG ID:**008416**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1943/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	152FT	29N	4W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				645,687.35	4,111,987.75
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	70	<u>REMARKS:</u>	200 YDS SE OF HIGH SCHOOL			

LOG ID:**011958**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1951//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	705FT
<u>DRILL DEPTH:</u>	75FT	29N	4W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				645,687.35	4,111,573.75
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	40	<u>REMARKS:</u>	@ EMINENCE			

LOG ID:**020233**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	661FT
<u>DRILL DEPTH:</u>	100FT	29N	4W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				647,096.36	4,112,414.74
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	30	<u>REMARKS:</u>	E OF EMINENCE ON HWY 106			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022309**WELL TYPE

Private Well

DRILL DATE: 1963/07/24TOWNSHIP RANGE SECTIONELEVATION: 806FTDRILL DEPTH: 110FT

29N 4W 36

UTM X UTM YDEPTH TO BED:647,096.36 4,112,216.74
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI E OF EMINENCE ON HWY 106S.W.L. (AFTER CASING): 55**LOG ID:****021531**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 1,093FTDRILL DEPTH: 1,650FT

29N 4W 5

UTM X UTM YDEPTH TO BED: 120FT641,543.32 4,119,371.76
ZONE 15S.W.L. (BEFORE CASING):REMARKS: LONG 1 X 2 MI SECTIONS.W.L. (AFTER CASING):**LOG ID:****027510**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 1,047FTDRILL DEPTH: 400FT

29N 5W 1

UTM X UTM YDEPTH TO BED: 55FT638,144.29 4,120,984.75
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 325**LOG ID:****026359**WELL TYPE

Private Well

DRILL DATE: 1969/08/TOWNSHIP RANGE SECTIONELEVATION: 1,240FTDRILL DEPTH: 425FT

29N 5W 19

UTM X UTM YDEPTH TO BED: 55FT629,512.27 4,114,930.82
ZONE 15S.W.L. (BEFORE CASING):REMARKS: JCT HWYS 406 & D; NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003953**WELL TYPE

Private Well

DRILL DATE: 1936// TOWNSHIP 29N RANGE 5W SECTION 25 ELEVATION: 717FT
DRILL DEPTH: 121FT UTM X 638,218.32 UTM Y 4,113,103.78
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ALLEY, MO
S.W.L. (AFTER CASING):

LOG ID:**002773**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1933/11/05 TOWNSHIP 29N RANGE 5W SECTION 25 ELEVATION: 756FT
DRILL DEPTH: 434FT UTM X 638,197.32 UTM Y 4,112,755.78
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: #1 ALLEY SPRINGS STATE PARK
S.W.L. (AFTER CASING): 83

LOG ID:**027010**WELL TYPE

Private Well

DRILL DATE: 1969/11/ TOWNSHIP 29N RANGE 5W SECTION 30 ELEVATION: 1,106FT
DRILL DEPTH: 400FT UTM X 630,510.28 UTM Y 4,113,912.82
DEPTH TO BED: 175FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: POOR SAMPLES - 0.5 MI S OF JCT HWYS 106 & D, 0.5 MI E OF
S.W.L. (AFTER CASING): 260 HWY 106

LOG ID:**023532**WELL TYPE

Private Well

DRILL DATE: 1965// TOWNSHIP 29N RANGE 5W SECTION 32 ELEVATION: 1,083FT
DRILL DEPTH: 500FT UTM X 632,338.30 UTM Y 4,112,260.82
DEPTH TO BED: 105FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026662**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1970/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	750FT
<u>DRILL DEPTH:</u>	650FT	29N	5W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				638,009.33	4,111,667.79
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ALLEY SPRING PARK			
<u>S.W.L. (AFTER CASING):</u>	54					

LOG ID:**027172**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1970/03/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,145FT
<u>DRILL DEPTH:</u>	435FT	29N	5W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	165FT				631,615.27	4,118,086.79
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	7 MI NE OF SUMMERSVILLE ON HWY D			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**016317**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1956/09/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,103FT
<u>DRILL DEPTH:</u>	250FT	29N	5W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				631,715.27	4,117,382.79
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	210					

LOG ID:**026857**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1969/02/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,203FT
<u>DRILL DEPTH:</u>	420FT	29N	6W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				625,482.23	4,118,518.84
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1/8 MI N OF HWY Z, 5 MI N OF HWY 106			
<u>S.W.L. (AFTER CASING):</u>	300					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024905**WELL TYPE

Private Well

DRILL DATE: 1966/10/06TOWNSHIPRANGESECTIONELEVATION:

1,205FT

DRILL DEPTH: 500FT

29N

6W

10

DEPTH TO BED: 185FTUTM XUTM Y

625,482.24

4,118,106.84

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

formerly in name of Jack D. Kickman - ON HWY Z ABT 4.5 MI NE OF SUMMERSVILLE

S.W.L. (AFTER CASING): 320**LOG ID:****024886**WELL TYPE

Private Well

DRILL DATE: 1966/10/18TOWNSHIPRANGESECTIONELEVATION:

1,185FT

DRILL DEPTH: 485FT

29N

6W

11

DEPTH TO BED: 80FTUTM XUTM Y

626,101.24

4,118,495.83

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

5.5 MI NE OF SUMMERSVILLE ON HWY Z

S.W.L. (AFTER CASING):**LOG ID:****026987**WELL TYPE

Private Well

DRILL DATE: 1969/09/19TOWNSHIPRANGESECTIONELEVATION:

1,175FT

DRILL DEPTH: 500FT

29N

6W

17

DEPTH TO BED: 75FTUTM XUTM Y

622,053.23

4,115,913.88

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

1 MI E, 0.5 MI N OF SUMMERSVILLE

S.W.L. (AFTER CASING): 400**LOG ID:****024062**WELL TYPE

Private Well

DRILL DATE: 1966/01/14TOWNSHIPRANGESECTIONELEVATION:

1,178FT

DRILL DEPTH: 265FT

29N

6W

17

DEPTH TO BED: 65FTUTM XUTM Y

622,253.22

4,117,363.88

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

formerly in name of Charles Schweighauser

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
029687

WELL TYPE
Private Well

DRILL DATE: 1969/09/00

TOWNSHIP 29N RANGE 6W SECTION 17

ELEVATION: 1,175FT

DRILL DEPTH: 500FT

UTM X 622,153.23 UTM Y 4,116,017.88
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
027429

WELL TYPE
Private Well

DRILL DATE: 1970/10/29

TOWNSHIP 29N RANGE 6W SECTION 22

ELEVATION: 1,160FT

DRILL DEPTH: 375FT

UTM X 625,877.26 UTM Y 4,114,630.86
ZONE 15

DEPTH TO BED: 50FT

S.W.L. (BEFORE CASING): FT

REMARKS: 2.5 MI W OF JCT HWYS D & 106

S.W.L. (AFTER CASING): 280

LOG ID:
023001

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1964/09/18

TOWNSHIP 29N RANGE 6W SECTION 26

ELEVATION: 1,080FT

DRILL DEPTH: 2,125FT

UTM X 626,893.27 UTM Y 4,112,741.86
ZONE 15

DEPTH TO BED: 75FT

S.W.L. (BEFORE CASING):

REMARKS: #SV-1; OPERATION BASEMENT SH-1

S.W.L. (AFTER CASING):

LOG ID:
026067

WELL TYPE
Private Well

DRILL DATE: 1969/04/

TOWNSHIP 29N RANGE 6W SECTION 31

ELEVATION: 1,244FT

DRILL DEPTH: 545FT

UTM X 620,617.24 UTM Y 4,112,024.91
ZONE 15

DEPTH TO BED: 165FT

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION DATA

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019164**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1960/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,208FT
<u>DRILL DEPTH:</u>	450FT	29N	6W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				620,448.21	4,118,197.89
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

LOG ID:**017515**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1956/01/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	810FT	30N	2W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	175FT				666,352.42	4,123,226.79
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	MISSOURI CONSERVATION COMMISSION			

LOG ID:**007832**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1942/06/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,139FT
<u>DRILL DEPTH:</u>	360FT	30N	3W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				655,108.40	4,126,045.81
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	235	<u>REMARKS:</u>				

LOG ID:**009838**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1946/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	470FT	30N	3W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	130FT				654,353.38	4,131,951.92
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	160	<u>REMARKS:</u>				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002563**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1932/05/ TOWNSHIP 30N RANGE 4W SECTION 10 ELEVATION:
DRILL DEPTH: 100FT UTM X 645,303.29 UTM Y 4,130,479.87
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #2 ROUND SPRING CAVERNS
S.W.L. (AFTER CASING):

LOG ID:**002552**WELL TYPE

Community Public Well

DRILL DATE: TOWNSHIP 30N RANGE 4W SECTION 19 ELEVATION: 820FT
DRILL DEPTH: 55FT UTM X 640,495.26 UTM Y 4,127,665.82
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**026637**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1970/09/ TOWNSHIP 30N RANGE 4W SECTION 20 ELEVATION: 745FT
DRILL DEPTH: 400FT UTM X 641,184.27 UTM Y 4,127,110.81
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ROUND SPRING STATE PARK
S.W.L. (AFTER CASING): 80

LOG ID:**017473**WELL TYPE

Private Well

DRILL DATE: 1958/05/ TOWNSHIP 30N RANGE 4W SECTION 20 ELEVATION: 679FT
DRILL DEPTH: 60FT UTM X 641,698.28 UTM Y 4,126,461.80
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI E OF SPRING VALLEY STONE ON HWY 19
S.W.L. (AFTER CASING): 20



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023114**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 1,459FT

30N

4W

31

DEPTH TO BED: 25FTUTM XUTM Y

639,916.28

4,124,646.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SH-2 - ONLY LOGGED TO 500'S.W.L. (AFTER CASING):**LOG ID:****026822**WELL TYPE

Community Public Well

DRILL DATE: 1971/04/16TOWNSHIPRANGESECTIONELEVATION:

734FT

DRILL DEPTH: 320FT

30N

4W

4

DEPTH TO BED: 15FTUTM XUTM Y

642,707.25

4,132,314.90

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****028494**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1980/01/08TOWNSHIPRANGESECTIONELEVATION:

1,125FT

DRILL DEPTH: 420FT

30N

4W

6

DEPTH TO BED: 30FTUTM XUTM Y

640,221.23

4,131,402.88

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SHANNONDALE TOWER SITES.W.L. (AFTER CASING): 375**LOG ID:****022889**WELL TYPE

Private Well

DRILL DATE: 1964/05/TOWNSHIPRANGESECTIONELEVATION:

725FT

DRILL DEPTH: 135FT

30N

4W

8

DEPTH TO BED: 15FTUTM XUTM Y

641,105.25

4,130,480.86

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Mack McMahanS.W.L. (AFTER CASING): 65



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
002875

WELL TYPE
Private Well

DRILL DATE: 1934/06/ TOWNSHIP 30N RANGE 4W SECTION 8 ELEVATION:
DRILL DEPTH: 124FT UTM X 641,605.25 UTM Y 4,130,379.86
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ROUND SPRING
S.W.L. (AFTER CASING): 14

LOG ID:
025138

WELL TYPE
Private Well

DRILL DATE: 1967// TOWNSHIP 30N RANGE 6W SECTION 27 ELEVATION: 1,110FT
DRILL DEPTH: 275FT UTM X 624,841.18 UTM Y 4,125,550.85
DEPTH TO BED: 85FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 160

LOG ID:
026030

WELL TYPE
Private Well

DRILL DATE: 1968// TOWNSHIP 30N RANGE 6W SECTION 33 ELEVATION: 1,185FT
DRILL DEPTH: 360FT UTM X 623,428.18 UTM Y 4,124,759.85
DEPTH TO BED: 130FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Robert G. Smith - NO PRODUCTION OR
S.W.L. (AFTER CASING): CONSTRUCTION DATA

LOG ID:
014159

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955/02/09 TOWNSHIP 31N RANGE 2W SECTION 6 ELEVATION:
DRILL DEPTH: 390FT UTM X 659,069.39 UTM Y 4,141,587.12
DEPTH TO BED: 105FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ELMO BRUMLEY
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018187**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1959/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,064FT
<u>DRILL DEPTH:</u>	190FT	31N	3W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				654,017.35	4,139,599.06
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	#2 LOGGERS LAKE			
<u>S.W.L. (AFTER CASING):</u>	16					

LOG ID:**022305**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,225FT
<u>DRILL DEPTH:</u>	585FT	31N	3W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				651,289.32	4,137,340.01
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	LOST OF CAVING			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**026555**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1969/12/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,225FT
<u>DRILL DEPTH:</u>	455FT	31N	3W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				653,263.34	4,139,912.07
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OAK KNOLL CAMPGROUND			
<u>S.W.L. (AFTER CASING):</u>	212					

LOG ID:**025640**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	856FT
<u>DRILL DEPTH:</u>	100FT	31N	4W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				648,571.28	4,139,459.04
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	"CAN'T LOCATE"			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024240**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,050FT

DRILL DEPTH:

1,490FT

31N

4W

30

DEPTH TO BED:

160FT

UTM XUTM Y

640,066.20

4,134,819.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: see log #21956 and #23814 and #24240S.W.L. (AFTER CASING):**LOG ID:****023814**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,050FT

DRILL DEPTH:

1,490FT

31N

4W

30

DEPTH TO BED:UTM XUTM Y

640,066.20

4,134,819.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: see log #21956 and #23814 and #24240S.W.L. (AFTER CASING):**LOG ID:****021956**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,050FT

DRILL DEPTH:

1,490FT

31N

4W

30

DEPTH TO BED:

160FT

UTM XUTM Y

640,066.20

4,134,819.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CUTTINGS 160-650' - see log #21956 and #23814 and #24240S.W.L. (AFTER CASING):**LOG ID:****027654**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,080FT

DRILL DEPTH:

330FT

31N

4W

31

DEPTH TO BED:

145FT

UTM XUTM Y

639,486.20

4,134,292.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION DATAS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027494**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,053FT

DRILL DEPTH:

355FT

31N

5W

1

UTM XUTM YDEPTH TO BED:

335FT

638,362.12

4,141,644.05

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "MUD TO 315"S.W.L. (AFTER CASING):**LOG ID:****009033**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1945/12/

TOWNSHIPRANGESECTIONELEVATION:

1,156FT

DRILL DEPTH:

407FT

31N

5W

13

UTM XUTM YDEPTH TO BED:

638,291.14

4,139,144.00

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: GLADDEN, MOS.W.L. (AFTER CASING):

237

LOG ID:**013872**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1955//

TOWNSHIPRANGESECTIONELEVATION:

1,114FT

DRILL DEPTH:

260FT

31N

5W

24

UTM XUTM YDEPTH TO BED:

65FT

638,898.17

4,136,504.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****023710**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1965/03/

TOWNSHIPRANGESECTIONELEVATION:

750FT

DRILL DEPTH:

100FT

31N

5W

29

UTM XUTM YDEPTH TO BED:

25FT

631,233.09

4,135,974.94

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: #1 TRAIL'S ENDS.W.L. (AFTER CASING):

26



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025650**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1968/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	760FT
<u>DRILL DEPTH:</u>	310FT	31N	5W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				634,882.16	4,132,837.89
<u>S.W.L. (BEFORE CASING):</u>	30	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	55	FT				

REMARKS: PULLTIGHT SPRINGS PARK

LOG ID:**019638**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	798FT
<u>DRILL DEPTH:</u>	70FT	31N	5W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				636,306.17	4,133,525.90
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: NO PRODUCTION OR CONSTRUCTION

LOG ID:**021970**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/05/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,165FT
<u>DRILL DEPTH:</u>	375FT	31N	5W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				633,021.06	4,139,773.00
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	30					

REMARKS: GLADDEN, MO.

LOG ID:**027566**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1974/04/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	810FT
<u>DRILL DEPTH:</u>	500FT	31N	6W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					628,036.06	4,137,700.98
<u>S.W.L. (BEFORE CASING):</u>	50	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	48	FT				

REMARKS: AKERS FERRY - OZARK SCENIC RIVERWAYS



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028188**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

781FT

DRILL DEPTH:

275FT

31N

6W

14

UTM XUTM YDEPTH TO BED:

15FT

627,076.04

4,138,517.00

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:SCANNED - NO SAMPLES, RUN TOPS ONLY - WELCH CAVE
LODGES.W.L. (AFTER CASING):**LOG ID:****017517**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/02/19

TOWNSHIPRANGESECTIONELEVATION:

1,100FT

DRILL DEPTH:

985FT

31N

6W

33

UTM XUTM YDEPTH TO BED:

35FT

624,395.09

4,133,427.95

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

MISSOURI CONSERVATION COMMISSION

S.W.L. (AFTER CASING):

36

LOG ID:**026929**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

840FT

DRILL DEPTH:

500FT

31N

6W

4

UTM XUTM YDEPTH TO BED:

15FT

623,350.98

4,142,468.06

ZONE 15

S.W.L. (BEFORE CASING):

29

FT

REMARKS:

CEDAR GROVE CAMPSITE

S.W.L. (AFTER CASING):

30

FT

LOG ID:**017509**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/02/19

TOWNSHIPRANGESECTIONELEVATION:

935FT

DRILL DEPTH:

700FT

31N

6W

5

UTM XUTM YDEPTH TO BED:

50FT

621,940.99

4,141,064.04

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

MISSOURI CONSERVATION COMMISSION

S.W.L. (AFTER CASING):

130

SHANNON